



LG HDR Monitor

Model: 27UP550N

Key Features:

- 27" UHD (3840 x 2160) IPS Display
- USB-C port with 90W Power
- sRGB 98% Colour Gamut
- Colour Calibration
- AMD Freesync™






Realistic Colours

IPS computer monitors help keep colours consistent at a wide viewing angle while reproducing 98% coverage of the sRGB colour spectrum.



Colour Calibrated

Helps maintain accurate colour on the screen and prevent gradual changes.



Smooth Dependable Motion

FreeSync™ technology resolves the communication issues between processor and monitor, reducing image tears and choppiness.



Game Mode

Game modes for First-Person-Shooter game and even a RTS pre-set mode allow you to choose the best conditions for you and the game you're playing.







Colour Calibrated







Stand

Height, tilt and swivel adjustment helps you customise the monitor setup to create a more personal, comfortable workstation.









On-Screen Control 2.2

On-Screen Control puts a host of essential monitor settings into a handy window for quick and easy access.

Volume, brightness, picture mode presets, Screen Split 2.0, Dual Controller and more can now be adjusted with just a few clicks of the mouse.

Specifications

PANEL -

| Screen Size | 27" Flat | Panel Technology | IPS |
|----------------|---|-----------------------|---------------------|
| Colour Gamut | sRGB 98% (CIE1931) | Resolution | 3840 x 2160 |
| Brightness | 300cd/m² | Contrast Ratio | 1000:1 |
| Response Time | 5ms (GTG) | Viewing Angle (H x V) | 178° × 178° |
| Colour Depth | 1.07B | Pixel Pitch | 0.1554mm x 0.1554mm |
| CONNECTIVITY - | | | |
| Digital | HDMI x 2 (ver 2.0) DisplayPort (ver 1.4) | USB | USB-C |
| Output (Rear) | USB Downstream x 2 (ver 3.0) | Audio | Headphone Out |
| | | | |

ENVIRONMENT CONDITIONS -

 Operation Temperature
 0°C - 40°C
 Operation Humidity
 Less than 80%

ACCESSORIES -

Accessories HMDI x1, DisplayPort x1, USB-C x1





Specifications

PHYSICAL SPECIFICATIONS -

| With stand (WxHxD) | 623 x 574 x 239 mm(Up) 623 x 464 x 239 mm(Down) | Without stand (WxDxH) | 623 x 371 x 46 mm |
|--------------------------------|--|---------------------------|-------------------|
| With stand Weight (kg) | 6.3kg | Without stand Weight (kg) | 4.4kg |
| Carton (WxHxD) | 1065 x 658 x 285 mm | Packed Weight | 9.4kg |
| VESA™ Standard Mount Interface | 100mm x 100mm | | |

STANDARD(CERTIFICATION)-

| Comparative Energy Consumption | 216kWh/year | Active Standby | 0.92W |
|--------------------------------|----------------|----------------|----------|
| Safety | CB Scheme, RCM | ErP/US EPA | Yes / No |
| EMC | RCM, Class (B) | | |

SPECIAL FEATURES -

| Special features | AMD FreeSync™, HDR10, Reader Mode, Super | Stand | Tilt / Height / Pivot |
|------------------|--|-------|-----------------------|
| | B 1.1 B 1.1 G G 1.5 | | |

Resolution+, Dynamic Action Sync, Smart Energy Saving, Dual Controller, OnScreen Control, Black

POWER -

| Power Supply | 100~240V, 50/60Hz | Power Consumption | 44W (Typ) |
|--------------|-------------------|----------------------------------|----------------|
| Power Off | Less than 0.3W | Typical / Smart Energy Saving on | Less than 0.5W |
| Power Type | AC Adapter | | |

WARRANTY -

Warranty 3 Years (Parts & Labour)



